SAFETY DATA SHEET



1/16

Canusa HBE-OS - Cure

Section 1. Identification Product identifier : Canusa HBE-OS - Cure Product code : Not available. Other means of : Not available. identification : Not available. Relevant identified uses of the substance or mixture and uses advised against Identified uses Industrial application of coatings and inks by spraying

 Industrial application of coatings and inks by other than spraying

 Uses advised against
 Reason

 Consumer
 Product is not intended for consumer use.

Supplier's details	 SFL Canusa Canada Ltd., 455 West Airport Road, Huntsville, ON, P1H 1Y7, Canada, Tel.: (+1) 705-789-1787 Seal For Life India Private Ltd., Plot17, GIDC Savli, Vadodara, Gujarat, Baroda, India - 391775, Tel.: +91 266 726 4721 SFL Canusa Middle East Pipeline Products Trading and Services LLC, Address: Plot # 37-WR43, Sector no.: ICAD III, Musaffah South, Abu Dhabi, United Arab Emirates, Tel: +971 2 204 9800 Seal For Life Industries, 10010 Cypress Creek Parkway Houston, TX 77070, USA, Tel.: +1 713-999-5090

Distributor / Importer

Emergency telephone	: +1 705-789-1787 (CA: 8:00 - 17:00)
number (with hours of	+91 266 726 4721 (IN: 08:00 - 17:00)
operation)	+971 2 204 9800 (UAE: 08:00 - 17:00)
• •	+1 713-999-5090 (US: 8:00-17:00)

÷

For emergencies only, call CHEMTREC (24 hours): In USA / Canada 1-800-424-9300; Outside USA +1 703-741-5970

Section 2. Hazard identification

Classification of the substance or mixture	: ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A TOXIC TO REPRODUCTION - Category 2
<u>GHS label elements</u> Hazard pictograms	
Signal word	: Danger
Hazard statements	: Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.

Precautionary statements

Date of issue/Date of revision	: 5/29/2023	Date of previous issue	: 5/29/2023	Version : 2
--------------------------------	-------------	------------------------	-------------	-------------

Section 2. Hazard identification

Prevention	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Avoid breathing vapor. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
Response	: IF exposed or concerned: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. IF ON SKIN: Call a POISON CENTER or doctor if you feel unwell. Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	: Store locked up.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	 Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 32.3% Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 35.2%

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

Ingredient name	Synonyms	% (w/w)	CAS number	
1-Piperazine ethanamine	1-Piperazineethanamine; 1- (2-Aminoethyl)piperazine; N- (Aminoethyl)piperazine; 2- (1-Piperazinyl) ethylamine; Piperazine, 1-(2-aminoethyl)-; 1- (2-AMINOETHYL)-PIPERAZINE; N- AMINOETHYLPIPERAZINE; 1- (2-AMINOETHYL)PIPERAZINE; 1- (2-AMINOETHYL)PIPERAZIN; 2- (Piperazin-1-yl)ethylamine; 1-Aminoethylpiperazine; PIPERAZINE, N-AMINOETHYL-	≥10 - ≤30	140-31-8	
Bisphenol A	4,4'-isopropylidenediphenol; 4,4'- isopropylidenedi-phenol; Phenol, 4,4' (1-methylethylidene)bis-; 2,2-Bis (4-hydroxyphenyl)propane; 4,4'- (1-Methylethylidene)bis[phenol; diphenylolpropane; BPA; Phenol, 4,4'-isopropylidenedi-; 4,4'-(propane- 2,2-diyl)diphenol; 4,4'- isopropylidenediphenol; BPA; 4,4'- (1-Methylethylidene)bisphenol	≥10 - ≤30 -	80-05-7	
Benzyl alcohol	Benzenemethanol; .alpha Hydroxytoluene; Phenylcarbinol; Phenylmethanol; E 1519; α- hydroxytoluene; Phenylmethyl alcohol; toluenol, alpha-; (hydroxymethyl)benzene; BENZENECARBINOL; alpha- Hydroxytoluene	≥10 - ≤30	100-51-6	
Date of issue/Date of revision	: 5/29/2023 Date of previous issue : 5	5/29/2023	Version : 2	2/16

Section 3. Composition/information on ingredients

4-nonylphenol, branched	Phenol, 4-nonyl-, branched; Branched 4-nonylphenol (mixed isomers); Nonylphenol, 4-branched; N-NONYLPHENOL; Nonylphenol; C9- Branched alkyl phenol; Branched p-nonylphenol; 4-Nonylphenol (branched); Monoalkyl (C3-9)phenol; C9 branched alkyl	≥5 - ≤10	84852-15-3
benzyldimethylamine	phenol; Branched 4-nonylphenol Benzenemethanamine, N,N-dimethyl- ; Benzylamine, N,N-dimethyl-; N,N- Dimethylbenzylamine; N- (Phenylmethyl)dimethylamine; Benzyl-N,N-dimethylamine; N- Benzyldimethylamine; N,N- Dimethylbenzenemethanamine; N,N- dialkyl(C1-4) benzylamine; Benzylmethylamine; BDMA	≥1 - ≤5	103-83-3
N-(3-(trimethoxysilyl)propyl) ethylenediamine	1,2-Ethanediamine, N1-[3- (trimethoxysilyl)propyl]-; 1,2-Ethanediamine, N-[3- (trimethoxysilyl)propyl]-; [3-[(2-Aminoethyl)amino; 1,2-Ethanediamine, N-(3- (trimethoxysilyl)propyl)-; 3- (2-aminoethylamino) propyltrimethoxysilane; 2-aminoethyl (3-trimethoxysilylpropyl)amine; Ethylenediamine, N-(3- (trimethoxysilyl)propyl)-; (trimethoxysilyl)propyl)-; (trimethoxysilyl)propyl) ethylenediamine; 1,2-Ethanediamine, N-{3-(trimethoxysilyl)propyl}-; 3- (2-Aminoethylamino) propyltrimethoxysilane; Dehydrochlorination reaction products of 3-[(2-aminoethyl)amino] propyltrimethoxysilane and 3-chloropropyltrimethoxysilane; N1- [3-(Trimethoxysilyl)prop-1-yl]ethane- 1,2-diamine	≥1 - ≤5	1760-24-3
4,4'-methylenebis(cyclohexylamine)	Cyclohexanamine, 4,4'-methylenebis- ; Bis(4-aminocyclohexyl)methane; Cyclohexylamine, 4,4'-methylenebis-; 4,4'-methylenebis(cyclohexan- 1-amine); Diaminodicyclohexylmethane; 4,4'- Methylenebiscyclohexylamine; 4,4'- Diaminodicyclohexylmethane; BIS (CYCLOHEXYLAMINE), 4,4'- METHYLENE-; Methylenebiscyclohexanamine, 4,4'-; 4,4 diaminodicyclohexylmethane; Cyclohexanamine, 4,4'-methylenebis-	≥1 - ≤5	1761-71-3
m-Xylylenediamine	1,3-Benzenedimethanamine; m- Xylylendiamine; m-Xylene alpha, alpha'- diamine; m-Xylene α,α'- diamine; m-xylene-α,α'-diamine; m- Xylylenediamine; 1,3-bis	≥1 - ≤5	1477-55-0

Section 3. Composition/information on ingredients

	U U		
	(Aminomethyl)benzene; MXDA; m- Xylene α,α'-diamine; m-Xylene-a, a'diamine; Dimethylbenzene		
cyclohex-1,2-ylenediamine	1,2-Cyclohexanediamine; 1,2-Diaminocyclohexane; CYCLOHEXANE-1,2-DIAMINE; 1,2-Cylohexanediamine; hexamethylene diamine; 1,2-Diaminocyclohexane, mixture of isomers	≥1 - ≤5	694-83-7
salicylic acid	Benzoic acid, 2-hydroxy-; 2-hydroxybenzoic acid; 2-Carboxyphenol; 2-Hydroxybenzenecarboxylic acid; HYDROXYBENZOIC ACID, O-; Salicylic acid (8CA); o- Hydroxybenzoic acid; Hydroxybenzoic acid; ORTHOHYDROXY BENZOIC ACID; SALICYCLIC ACID	≥0.1 - ≤1	69-72-7

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary fir	st aid measures
Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

Date of issue/Date of revision

: 5/29/2023

^{4/16}

Section 4. First-aid measures

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effe	<u>cts</u>
Eye contact	: Causes serious eye damage.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Causes severe burns. Harmful in contact with skin. May cause an allergic skin reaction.
Ingestion	: Harmful if swallowed.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5. Fire-fighting measures

	-
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	iction shall be taken involving any personal risk or without cuate surrounding areas. Keep unnecessary and unprote ring. Do not touch or walk through spilled material. Do no Provide adequate ventilation. Wear appropriate respira equate. Put on appropriate personal protective equipment	cted personnel from ot breathe vapor or tor when ventilation is
For emergency responders	ecialized clothing is required to deal with the spillage, take mation in Section 8 on suitable and unsuitable materials. mation in "For non-emergency personnel".	
Environmental precautions	d dispersal of spilled material and runoff and contact with as and sewers. Inform the relevant authorities if the produ ronmental pollution (sewers, waterways, soil or air).	
Methods and materials for co	ent and cleaning up	
Small spill	leak if without risk. Move containers from spill area. Dilu water-soluble. Alternatively, or if water-insoluble, absorb erial and place in an appropriate waste disposal container sed waste disposal contractor.	with an inert dry
Large spill	leak if without risk. Move containers from spill area. App nd. Prevent entry into sewers, water courses, basements h spillages into an effluent treatment plant or proceed as ct spillage with non-combustible, absorbent material e.g. niculite or diatomaceous earth and place in container for of regulations (see Section 13). Dispose of via a licensed w ractor. Contaminated absorbent material may pose the s ed product. Note: see Section 1 for emergency contact in or waste disposal.	s or confined areas. follows. Contain and sand, earth, lisposal according to waste disposal ame hazard as the

Section 7. Handling and storage

Precautions for safe handlingProtective measures: Put on appropriate personal protective equipment (see Section 8). Persons with a
history of skin sensitization problems should not be employed in any process in
which this product is used. Avoid exposure - obtain special instructions before use.
Avoid exposure during pregnancy. Do not handle until all safety precautions have
been read and understood. Do not get in eyes or on skin or clothing. Do not
breathe vapor or mist. Do not ingest. If during normal use the material presents a
respiratory hazard, use only with adequate ventilation or wear appropriate respirator.
Keep in the original container or an approved alternative made from a compatible
material, kept tightly closed when not in use. Empty containers retain product
residue and can be hazardous. Do not reuse container.

Section 7. Handling and storage

	-	-
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Benzyl alcohol	OARS WEEL (United States, 4/2022). TWA: 10 ppm 8 hours.
m-Xylylenediamine	CA Alberta Provincial (Canada, 6/2018). Absorbed through skin. C: 0.1 mg/m ³ CA British Columbia Provincial (Canada, 3/2022). Absorbed through skin. C: 0.1 mg/m ³ CA Ontario Provincial (Canada, 6/2019). Absorbed through skin. Ceiling Limit: 0.1 mg/m ³ CA Quebec Provincial (Canada, 6/2021). Absorbed through skin. STEV: 0.1 mg/m ³ 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). Absorbed through skin. CEIL: 0.1 mg/m ³

Biological exposure indices

No exposure indices known.

Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	s	

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
------------------	---

Section 8. Exposure controls/personal protection

•	• •
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance	
Physical state	: Liquid. [Viscous liquid.]
Color	: Light blue-green.
Odor	: Ammoniacal.
Odor threshold	: Not available.
рН	: Not applicable.
Melting point/freezing point	: -2°C (28.4°F)
Boiling point, initial boiling point, and boiling range	: >200°C (>392°F)

2

Flash point

	Closed cup				Open cup		
Ingredient name	°C	°F	Method	°C	°F	Method	
Methyl alcohol	9.7	49.5	Abel-Pensky				
1,2-Diaminoethane	38	100.4	DIN 51755				
benzyldimethylamine	57	134.6	EU A.9				
cyclohex-1,2-ylenediamine	70	158					
Diethylenetriamine				96.7	206.1	ISO 2719	
N-(3-(trimethoxysilyl)propyl) ethylenediamine	98	208.4					
1-Piperazine ethanamine				99	210.2	ISO 2719	
Benzyl alcohol	100.56	213					
Poly[oxy(methyl-1,2-ethanediyl)], α-(2-aminomethylethyl)-ω-	128	262.4	ISO 2719				
ate of issue/Date of revision	: 5/29	/2023 Date	of previous issue	: 5/29/202	3	Version : 2	8

Section 9. Physical and chemical properties and safety characteristics

(2-aminomethylethoxy)-						
2-(2-aminoethylamino)ethanol	132	269.6				
m-Xylylenediamine				134	273.2	
2-Propenoicacid,2-ethylhexylester, reactionproductswithethylenediamine- ethyleniminepolymer,compds. withpolyethylene- polypropyleneglycolmono- Buetherphosphate	135	275	Pensky-Martens			
4-nonylphenol, branched	154	309.2	ISO 2719			
salicylic acid	157	314.6				
4,4'-methylenebis (cyclohexylamine)	160	320	ISO 2719			
Formaldehyde, polymer with benzenamine, hydrogenated	>200	>392				
Bisphenol A	227	440.6				
Flammability	: Not avail	able.				
Lower and upper explosion limit/flammability limit	: Not avail	able.				
Management	Natanal					

Vapor pressure	: Not applicable.	
Relative vapor density	: Not available.	
Relative density	: 1	
Solubility in water	: Not available.	
Miscible with water	: No.	
Partition coefficient: n- octanol/water	: Not applicable.	
Auto-ignition temperature	: Not applicable.	
Decomposition temperature	: Not available.	
Viscosity	: Kinematic: 2200 mm ² /s (2200 cSt))

- Particle characteristics
- Median particle size

: Not applicable.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1-Piperazine ethanamine	LD50 Dermal	Rabbit	886 mg/kg	-
Bisphenol A	LD50 Oral	Rat	1200 mg/kg	-
Benzyl alcohol	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	1230 mg/kg	-
4-nonylphenol, branched	LD50 Oral	Rat	1300 mg/kg	-
benzyldimethylamine	LD50 Dermal	Rabbit	1660 mg/kg	-
	LD50 Oral	Rat	265 mg/kg	-
N-(3-(trimethoxysilyl)propyl) ethylenediamine	LD50 Oral	Rat	2413 mg/kg	-
m-Xylylenediamine	LC50 Inhalation Dusts and mists	Rat	1.34 mg/l	4 hours
	LD50 Dermal	Rabbit	>3100 mg/kg	-
	LD50 Oral	Rat	930 mg/kg	-
cyclohex-1,2-ylenediamine	LD50 Oral	Rat	4556 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1-Piperazine ethanamine	Eyes - Moderate irritant	Rabbit	-	24 hours 20	-
				mg	
	Skin - Severe irritant	Rabbit	-	24 hours 5	-
				mg	
Bisphenol A	Eyes - Severe irritant	Rabbit	-	24 hours 250	-
				ug	
	Skin - Mild irritant	Rabbit	-	250 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				mg	
Benzyl alcohol	Skin - Mild irritant	Man	-	48 hours 16	-
		Dia		mg	
	Skin - Moderate irritant	Pig	-	100 %	-
	Skin - Moderate irritant	Rabbit	-	24 hours 100	-
4-nonylphenol, branched	Eyes - Severe irritant	Rabbit		mg 100 mg	
4-nonyiphenoi, branched	Skin - Severe irritant	Rabbit	-	24 hours 500	-
		Tabbit	-	mg	-
benzyldimethylamine	Eyes - Severe irritant	Rabbit	_	5 mg	_
Sonzylamotrylamite	Skin - Severe irritant	Rabbit	_	4 hours 500	_
		1 CLODIC		mg	
N-(3-(trimethoxysilyl)propyl)	Eyes - Severe irritant	Rabbit	-	15 mg	-
ethylenediamine	,			5	
,	Skin - Mild irritant	Rabbit	-	500 mg	-
4,4'-methylenebis	Eyes - Severe irritant	Rabbit	-	24 hours 10	-
(cyclohexylamine)				uL	
m-Xylylenediamine	Eyes - Severe irritant	Rabbit	-	24 hours 50	-
				ug	
	Skin - Severe irritant	Rabbit	-	24 hours 750	-
				ug	
cyclohex-1,2-ylenediamine	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
		5		mg	
	Skin - Severe irritant	Rabbit	-	0.5 MI	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

10/16

Section 11. Toxicological information

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name		Route of exposure	Target organs
Bisphenol A	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

Eye contact	: Causes serious eye damage.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Causes severe burns. Harmful in contact with skin. May cause an allergic skin reaction.
Ingestion	: Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effect	ts and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	

Date of issue/Date of revision

: 5/29/2023

Date of previous issue : 5/2

Section 11. Toxicological information

	-
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>cts</u>
Not available.	
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Canusa HBE-OS - Cure	1262.9	1466.8	N/A	54.7	12.2
1-Piperazine ethanamine	N/A	886	N/A	N/A	N/A
Bisphenol A	1200	N/A	N/A	N/A	N/A
Benzyl alcohol	1230	2000	N/A	N/A	N/A
4-nonylphenol, branched	1300	N/A	N/A	N/A	N/A
benzyldimethylamine	265	1660	N/A	11	N/A
N-(3-(trimethoxysilyl)propyl)ethylenediamine	2413	N/A	N/A	N/A	N/A
m-Xylylenediamine	930	1100	N/A	N/A	1.34
cyclohex-1,2-ylenediamine	4556	N/A	N/A	N/A	N/A
salicylic acid	500	N/A	N/A	N/A	N/A

Section 12. Ecological information

T	oxi	С	ty
_			

Product/ingredient name	Result	Species	Exposure
1-Piperazine ethanamine	Acute LC50 2190000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
Bisphenol A	Acute EC50 1.506 mg/l Marine water	Algae - Prorocentrum minimum - Exponential growth phase	72 hours
	Acute EC50 1000 µg/l Marine water	Algae - Skeletonema costatum	96 hours
	Acute EC50 7.3 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 50.4 µg/l Marine water	Crustaceans - Artemia sinica	48 hours
	Acute LC50 3.5 mg/l Marine water	Fish - Rivulus marmoratus - Embryo	96 hours
	Chronic NOEC 2 mg/l Fresh water	Algae - Chlorolobion braunii - Exponential growth phase	4 days
	Chronic NOEC 10 µg/l Marine water	Crustaceans - Tigriopus japonicus - Nauplii	21 days
	Chronic NOEC 30 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC 0.2 µg/l Fresh water	Fish - Carassius auratus - Adult	90 days
Benzyl alcohol	Acute LC50 10000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours
4-nonylphenol, branched	Acute EC50 0.03 mg/l Marine water	Algae - Skeletonema costatum	72 hours
	Acute EC50 0.027 mg/l Marine water	Algae - Skeletonema costatum	96 hours
	Acute EC50 0.044 mg/l	Crustaceans - Moina macrocopa	48 hours
	Acute LC50 17 µg/l Marine water	Fish - Pleuronectes americanus - Larvae	96 hours
	Chronic EC10 0.012 mg/l Marine water	Algae - Skeletonema costatum	96 hours
Date of issue/Date of revision	: 5/29/2023 Date of previous issue	: 5/29/2023 Version	:2 12

Section 12. Ecological information

	Chronic NOEC 5 µg/l Fresh water	Crustaceans - Gammarus fossarum - Adult	21 days
	Chronic NOEC 7.4 µg/l Fresh water	Fish - Pimephales promelas - Embryo	33 days
benzyldimethylamine	Acute LC50 37800 µg/l Fresh water	Fish - Pimephales promelas	96 hours
salicylic acid	Acute LC50 111.7 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Chronic NOEC 5.6 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential	
1-Piperazine ethanamine	-1.48	-	low	
Bisphenol A	3.4	20 to 67	low	
Benzyl alcohol	0.87	-	low	
4-nonylphenol, branched	5.4	740	high	
benzyldimethylamine	1.98	6.2 to 22	low	
4,4'-methylenebis	2.03	-	low	
(cyclohexylamine)				
m-Xylylenediamine	0.18	2.69	low	
salicylic acid	2.21 to 2.26	-	low	

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or
	liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	TDG Classification	DOT Classification	IMDG	ΙΑΤΑ
UN number	UN2735	UN2735	UN2735	UN2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (N- AMINOETHYLPIPERAZINE, benzyldimethylamine)	Amines, liquid, corrosive, n.o.s. (N- AMINOETHYLPIPERAZINE, benzyldimethylamine)	AMINES, LIQUID, CORROSIVE, N.O.S. (N- AMINOETHYLPIPERAZINE, benzyldimethylamine)	Amines, liquid, corrosive, n.o.s. (N- AMINOETHYLPIPERAZINE, benzyldimethylamine)
Date of issue/Date of I	Date of issue/Date of revision : 5/29/2023 Date of previous issue : 5/29/2023 Version : 2 13/1			Version : 2 13/16

Section 14. Transport information

Section 14. Transport mornation					
Transport hazard class(es)	8	¥2	8 V V V V V V V V V V V V V V V V V V V	8	8
Packing group	ш		111	111	III
Environmental hazards	Yes.		Yes.	Yes.	Yes. The environmentally hazardous substance mark is not required.
Additional inform	nation				
TDG Classification		Goods The ma Explos Passen Special : This provide Limiteo Quantit Special	Regulations: 2.40-2.42 rine pollutant mark is no ive Limit and Limited of ger Carrying Road or provisions 16 oduct is not regulated as ays in sizes of ≤5 L or ≤ d the packagings meet I quantity Yes. ing instruction Except ty limitation Passenger I provisions IB3, T7, T	Class 8), 2.7 (Marine ot required when trans Quantity Index 5 Rail Index 5 a marine pollutant wh 5 kg or by road, rail, or the general provisions ions: 154. Non-bulk: 2 aircraft/rail: 5 L. Carg P1, TP28	ported by road or rail. nen transported on inland r inland air in non-bulk sizes, of §§ 173.24 and 173.24a. 203. Bulk: 241. go aircraft: 60 L.
IMDG		 The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 <u>Emergency schedules</u> F-A, S-B Special provisions 223, 274 		ported in sizes of ≤5 L or ≤5 kg.	
ΙΑΤΑ		 The environmentally hazardous substance mark may appear if required by other transportation regulations. <u>Quantity limitation</u> Passenger and Cargo Aircraft: 5 L. Packaging instructions: 852. Cargo Aircraft Only: 60 L. Packaging instructions: 856. Limited Quantities - Passenger Aircraft: 1 L. Packaging instructions: Y841. <u>Special provisions</u> A3, A803 			
Special precaution	ns for user	: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do i the event of an accident or spillage.			
Transport in bulk to IMO instrument		: Not ava	: Not available.		

to IMO instruments

Section 15. Regulatory information

Canadian lists

Canadian NPRI	: The following components are listed: bisphenol A; nonylphenol and its ethoxylates
CEPA Toxic substances	: The following components are listed: phenol, 4,4' -(1-methylethylidene)bis-; nonylphenol and its ethoxylates

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals	
Not listed.	

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Section 15. Regulatory information

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.

Inventory list	
Australia	: Not determined.
Canada	: Not determined.
China	: All components are listed or exempted.
Eurasian Economic Union	: Russian Federation inventory: Not determined.
Japan	: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: All components are listed or exempted.

Section 16. Other information

<u>History</u>	
Date of printing	: 5/29/2023
Date of issue/Date of revision	: 5/29/2023
Date of previous issue	: 5/29/2023
Version	: 2
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY (oral) - Category 4	Calculation method
ACUTE TOXICITY (dermal) - Category 4	Calculation method
SKIN CORROSION - Category 1	Calculation method
SERIOUS EYE DAMAGE - Category 1	Calculation method
SKIN SENSITIZATION - Category 1A	Calculation method
TOXIC TO REPRODUCTION - Category 2	Calculation method

References

: Not available.

V Indicates information that has changed from previously issued version.

Notice to reader

Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.